

PROMATIC - STONECHIP (1LT)

Page: 1

Compilation date: 28/06/2011

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: PROMATIC - STONECHIP (1LT)

Product code: SC-1

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

# Company name: PROMATIC

Second Avenue Chatham Kent ME4 5AU England Tel: 01634 823900 Fax: 01634 813807 Email: sales@capellasolutionsgroup.com

# 1.4. Emergency telephone number

Emergency tel: 01634 823900

(office hours only)

# Section 2: Hazards identification

2.1. Classification of the substance or mixture				
Classification under CLP: Asp. Tox. 1: H304; Flam. Liq. 2: H225; Repr. 2: H361d; Skin Irrit. 2: H315; STOT RE 2:				
	H373; STOT SE 3: H336			
Most important adverse effects:	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.			
Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging the				
	unborn child. May cause damage to organs through prolonged or repeated exposure.			

### 2.2. Label elements

Label elements:	
Hazard statements:	H225: Highly flammable liquid and vapour.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H336: May cause drowsiness or dizziness.
	H361d: Suspected of damaging the unborn child.
	H373: May cause damage to organs through prolonged or repeated exposure.
Signal words:	Danger

# **PROMATIC - STONECHIP (1LT)**

**Page:** 2

Hazard pictograms:	GHS02: Flame				
	GHS07: Exclamation mark				
	GHS08: Health hazard				
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition				
	sources. No smoking.				
	P241: Use explosion-proof electrical/ventilating/lighting/ equipment.				
	P260: Do not breathe dust/fumes/gas/mist/vapours/spray.				
	P280: Wear protective gloves/protective clothing/eye protection/face protection.				
	P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.				
	P302+352: IF ON SKIN: Wash with plenty of water/.				
2.3. Other hazards					

Other hazards: In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### Hazardous ingredients:

## TOLUENE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-625-9	108-88-3	-	Flam. Liq. 2: H225; Repr. 2: H361d; Asp. Tox. 1: H304; STOT RE 2: H373;	10-30%
			Skin Irrit. 2: H315; STOT SE 3: H336	

## ACETONE

200-662-2	67-64-1	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336; -: EUH066	

### N-BUTYL ACETATE

204-658-1	123-86-4	-	Flam. Liq. 3: H226; STOT SE 3: H336;	1-10%
			-: EUH066	

# Section 4: First aid measures

# 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

- Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
  - Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### **PROMATIC - STONECHIP (1LT)**

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

Vapour may travel considerable distance to source of ignition and flash back.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

6.1. Personal	precautions.	protective	equipment	and emer	gency pro	cedures
					J	

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# PROMATIC - STONECHIP (1LT)

Sec	Section 7: Handling and storage						
7.	7.1. Precautions for safe handling						
	Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.						
	-	-		o not handle in a confined space. Avoid the formation or spread of mists in the air.			
			Smoking is	s forbidden. Use non-spark	ing tools.		
7.	7.2. Conditions for safe storage, including any incompatibilities						
	Storag	ge conditions:	Store in a	cool, well ventilated area. I	Keep container tightly close	ed. Keep away from	
			sources of	ignition. Prevent the build	up of electrostatic charge i	n the immediate area.	
			Ensure lig	nting and electrical equipm	ent are not a source of ign	ition.	
7.	3. Specific er	nd use(s)					
	Specif	ic end use(s):	No data av	vailable.			
Sec	tion 8: Expo	sure controls	/personal	protection			
			•	•			
8.	1. Control pa	irameters					
	Hazardous ii	ngredients:					
	TOLUENE						
	Workplace e	xposure limits:			Respirable dust		
	State	8 hour T	WA	15 min. STEL	8 hour TWA	15 min. STEL	
	UK	19	91 mg/m3	384 mg/m3	-	-	
	ACETONE						
	UK	121	0 mg/m3	3620 mg/m3	-	-	
	N-BUTYL AC	ETATE					
	UK	72	24 mg/m3	966 mg/m3	-	-	
D	NEL/PNEC V	alues					
		DNEL / PNEC	No data av	ailahle			
8	2. Exposure						
	Engineeri	ng measures:		are not a source of ignitio	of the area. Ensure lighting	and electrical	
	Respirato	orv protection:		-	nust be available in case of	emergency.	
	-	nd protection:				energeney.	
				sses. Ensure eye bath is to	hand.		
	Sk	in protection:	Protective	clothing.			
Sec	Section 9: Physical and chemical properties						

PROMATIC - STONECHIP (1LT)

 Page: 5

 9.1. Information on basic physical and chemical properties

 State:
 Liquid

 Colour:
 Various

 Odour:
 Characteristic odour

 Solubility in water:
 Insoluble

 Viscosity:
 Viscous

 Flash point°C:
 <21</td>

 Relative density:
 1.330

 VOC g/l:
 384.64

 9.2. Other information

 Other information:
 No data available.

 Section 10:
 Stability and reactivity

 10.1. Reactivity
 Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### **10.6.** Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

#### **11.1. Information on toxicological effects**

#### Hazardous ingredients:

### TOLUENE

IVN	RAT	LD50	1960	mg/kg
ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	6900	mg/kg

# PROMATIC - STONECHIP (1LT)

## **Page:** 6

# ACETONE

IVN	RAT	LD50	5500	mg/kg
ORL	MUS	LD50	3000	mg/kg
ORL	RAT	LD50	5800	mg/kg

# N-BUTYL ACETATE

ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	10768	mg/kg

# Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Reproductive toxicity		Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

# 12.1. Toxicity

# Hazardous ingredients:

#### ACETONE

BLUEGILL (Lepomis macrochirus)	LC50	8300 m	ng/l	

# 12.2. Persistence and degradability

## Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### PROMATIC - STONECHIP (1LT)

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

## 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: PAINT RELATED MATERIAL

### 14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

#### **Section 16: Other information**

#### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

# **PROMATIC - STONECHIP (1LT)**

Page: 8

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs <or state all organs affected, if known> through

prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.