


Description:


ELEC is a VOC compliant, 2K UHS, high quality, lacquer with good vertical stability, quick drying times, excellent gloss finish along with very good polishing properties.

Suitable Substrates:

- **ProMIX Eclipse** Basecoat.
- **ProXL H₂O** Basecoat.



Mix 2:1 with **Eclipse** L.E Hardener series
Pot life 60 min / 20°C (68°F)




18-20 sec / DIN 4 mm / 20°C (68°F)



Compliant 1.3 – 1.4 mm
2.0 – 2.5 bar inlet pressure
HVLP 1.3 - 1.4 mm; 0.7 bar at the air-cap



1 clinging coat + 1 full coat
50- 60 microns per coat



5-10 minutes at 20°C (68°F)



20-25 min. at 60°C (140°F) panel temperature.



10 – 12 min. Short Wave
The object should be maintained at greater than 60cm from source



Wear suitable protection

Flash Point: 24°C (74°F)

Solids Content: 58 % by weight – ready to spray

VOC: Max 420 g/l (EU limit value for this category IIB.d being max. 420g/l)

Coverage: 9-10 m²/l at 50 micron film thickness (theoretical)

SDS: See the safety data sheet

DISCLAIMER OF LIABILITY

The information contained in this Technical Data Sheet is correct to the best of Alpha Coatings Limited trading as Capella Solutions Group's ("Capella") knowledge, however, you must satisfy yourselves that the Goods are suitable for your needs by way of your independent testing or other processes. Capella makes no warranty, representation, or guarantee regarding the information contained in the Technical Data Sheet or the suitability of its products and services for any particular purpose, nor does Capella assume liability arising out of the application or use of the Goods other than any liability which cannot be limited by law including but not limited to liability for: (a) death or personal injury caused by negligence; (b) fraud or fraudulent misrepresentation; and (c) breach of the terms implied by section 12 of the Sales of Goods Act 1979, in such circumstances Capella's total liability shall not exceed the cost of the Goods. Capella's total liability includes liability in contract, tort, negligence, breach of statutory duty, or otherwise. It is the Customer's responsibility to ensure that the guidance on the Technical Data Sheet is followed.